



Certified Orthopedics, Inc.
2415 East Mulberry Street, Unit 7
Fort Collins, CO 80524
ph 970-482-7116 • fax 970-498-9529
www.certifiedortho.com

CERTIFIED

GO AFO CUSTOM ORDER FORM

P
A
T
I
E
N
T

First Name: _____
Last Name: _____
Age: _____ Sex: _____ Height: _____ Weight: _____
Diagnosis: _____
Phone #: _____ Fax #: _____
☐ Right ☐ Left ☐ Bilateral

P
R
A
C
T
I
T
I
O
N
E
R

Date: _____ P.O.#: _____
Facility: _____
Address: _____
Contact Name: _____
Ship via: _____
Requested Date of Delivery: _____

(Please allow for shipping time)

S
T
Y
L
E

Cast

Scan

GO AFO CUSTOM

GO-100-C TALL w/FULL FOOT
GO-110-C TALL w/ 3/4 FOOT
GO-200-C SHORT w/FULL FOOT
GO-210-C SHORT w/ 3/4 FOOT

*Fabricate using Standard Set Up
(Omits any other options)
See Standard Set Up Below*



GO-100-C

GO-200-C

MOLD PREPARATION INSTRUCTIONS

ANKLE ☐ As Is ☐ Correct to 90°
☐ Amount _____° ☐ Dorsi ☐ Plantar

HINDFOOT ☐ As Is ☐ Correct to Neutral
FOREFOOT ☐ As Is ☐ Correct to Neutral

ADDITIONAL OPTIONS

- ☐ PTB Style Cuff
☐ Arch Pull Strap ☐ Medial ☐ Lateral
☐ Ankle T-Strap ☐ Medial ☐ Lateral
☐ Line Foot Plate ☐ EVA ☐ Other _____
☐ Custom Foot Insert ☐ Tri-Lam ☐ Other _____
☐ GO FO ☐ Small ☐ Medium ☐ Large ☐ X-Large




☐ GO FO Heel Stabilizer
☐ Small ☐ Medium ☐ Large ☐ X-Large

☐ Heel Lift ☐ 30 Durometer ☐ 60 Durometer Qty. _____
☐ Small ☐ Medium ☐ Large
☐ 3mm ☐ 6mm ☐ 9mm

EXTERNAL POST

☐ Crepe ☐ Plastic ☐ Other _____
FOREFOOT **HINDFOOT** **BOTH**
☐ Neutral ☐ Neutral ☐ Neutral
☐ Medial ☐ Medial ☐ Medial
☐ Lateral ☐ Lateral ☐ Lateral
Amount: _____ Amount: _____ Amount: _____



SHOE SIZE - REQUIRED INFORMATION

Shoe Size: _____ Width: _____
☐ Men's ☐ Women's

STANDARD SET UP FOR CUSTOM GO AFO

- Standard Mold Modifications, OR
- Scanned file modification, prep, and carving
- GO AFO Carbon Strut
- GO AFO Custom Carbon Infused Plastic Footplate with Ankle Reinforcement
- GO AFO Custom Thermoplastic Calf Cuff
- Padded Calf Band with Velcro Closure

**Unless specified, the standard set up will be used for fabrication.*

ADDITIONAL INFORMATION: _____