



Certified Orthopedics, Inc.
2415 East Mulberry Street, Unit 7
Fort Collins, CO 80524
ph 970-482-7116 • fax 970-498-9529
www.certifiedortho.com

CERTIFIED

**KIDFAB DYNAMIC STRETCH
AFO ORDER FORM**

P
A
T
I
E
N
T

First Name: _____
Last Name: _____
Age: _____ Sex: _____ Height: _____ Weight: _____
Diagnosis: _____
Phone #: _____ Fax #: _____
 Right Left Bilateral

P
R
A
C
T
I
O
N
E
R

Date: _____ P.O.#: _____
Facility: _____
Address: _____
Contact Name: _____
Ship via: _____
Requested Date of Delivery: _____
(Please allow for shipping time)

S
T
Y
L
E
S

Cast	Scan	Custom to Measurement
	KFDS-350 Custom Dynamic Stretch AFO	
Click Engagement Strap		Standard Engagement Strap

FABRICATION INSTRUCTIONS

Modifying Instructions:

Ankle: As Is Correct to 90:
Amount: _____ Dorsi: _____ Plantar: _____
Hindfoot: As Is Correct to Neutral
Forefoot: As Is Correct to Neutral
Metatarsal Pad S.T. Mod Other: _____

Components:

CONTRA JOINT: Free Dorsi R.O.M Other _____
PLANTAR STOP: Check Rein Strap

Straps:

Color: Black White Beige Other Color _____
Add Strap: Ankle Strap Dorsum In-Step Forefoot
Banjo Strap (Med. Lat.) Check Rein Other _____

Padding & Lining:

Padding: ST Pad Navicular Pad Arch Pads
Malleolus Pads Other _____
Specify Material & Thickness: _____
Lining: Full (Calf & Foot) Calf Foot Only Foot Insert
Specify Material & Thickness: _____

Posting & Tread:

Posting Material: Crepe Plastic
Posting: Heel Forefoot Medial Lateral Amt. _____
Tread: Full Foot Toe Box Heel Black White

Reinforcement:

Material: Compcore ProComp Plastic
Calf Band Posterior/PLS Ankle(Med&Lat) Ankle Joint

Trimlines, Flares, Cut Outs:

Proximal Trim Line Flare Posterior Entry Cut Out _____
Correction Flare Valgus/Medial Varus/Lateral
Full Foot Sulcus Length Proximal Mets Other _____
Extend Trimline to Control Forefoot Medial Lateral
Dorsum Overlaps Flaps No Overlaps

Molded Boots, Lacers, Shells:

Molded InnerBoot: Flexible Plastic LDPE Foam/EVA
Dorsum Overlap Flaps No Overlaps Full Overlap/Wrap
Molded Calf Lacer: Flexible Plastic LDPE Foam/EVA
Pretibial Shell: Polypro Copolymer LDPE Lined
Anterior Shell: Exterior Overlap Interior Tuck
Flexible Plastic LDPE Other: _____ Lined

Plastic & Transfers:

Plastic Type: _____ Thickness: _____
Color: _____ Transfer: _____

